

FORM-I
(See rule 4)

Return regarding Water consumed during the month of _____

Name and Address of the consumer	Purpose for which water consumed	Reading at the beginning of the first day of the calendar month under report	Reading at the end of the last day of calendar month under report	Quantity of water consumed in Kilo litres	If the meter water out of order the monthly average consumption of water for the previous 3 months of working period	Quantity of water qualifying for rebate according to the assessee	Remarks (*)
1.	2.	3.	4.	5.	6.	7.	
	1. Industrial cooling Spraying in mine Pits or boiler Feed.	i) from Municipal water supply mains ii) from well/tube well iii) from canal iv) from river v) from any other source					
	2. Domestic purpose	i) from Municipal water supply mains ii) from well/tube well iii) from canal iv) from river v) from any other source					
	3. Processing Whereby water gets polluted & the pollutants are easily bio-degradable	i) from Municipal water supply mains ii) from well/tube well iii) from canal iv) from river v) from any other source					
	4. Processing Whereby water gets polluted & the pollutants are not easily bio-degradable and are toxic	i) from Municipal water supply mains ii) from well/tube well iii) from canal iv) from river v) from any other source					

(*) for claiming rebate under col.7 the assessee shall indicate in this column the analytical and other reports annexed to this return in support of this claim.

Signature of the consumer
Name
Address

ANNEXURE TO FORM 1

Report of Analysis of treated effluent showing the performance of treatment plant-For the month of _____

Sample collected on
 Sample tested on
 By the laboratories.....

Sr.No.	Polluting parameters as mentioned in the condition imposed under consent granted under section 25/26 of the Water (Prevention and Control of Pollution) Act, 1974.	Maximum permissible limits or ranges allowed as per consent conditions.	Concentration of range of parameters as per report	Date on which	
				There was break down or failure of the plant	On which under performance was noticed
1	2	3	4	5	6

Signature.....
 Date.....
 Name.....
 Address.....